LOGIN (HTTPS://WWW.FRONTIERSIN.ORG/PEOPLE/LOGIN) / REGISTER (HTTPS://WWW.FRONTIERSIN.ORG/REGISTER) ABOUT(HTTPS://WWW.FRONTIERSIN.ORG/ABOUT/ABOUT-FRONTIERSIN.ORG/PEOPLE/LOGIN) / REGISTER (HTTPS://WWW.FRONTIERSIN.ORG/REGISTER) ABOUT(HTTPS://WWW.FRONTIERSIN.ORG/ABOUT/ABOUT-FRONTIERSIN.ORG/PEOPLE/LOGIN) / REGISTER (HTTPS://WWW.FRONTIERSIN.ORG/REGISTER)

\_(https://www.frontiersin.org), (https://www.frontiersin.org/about/impact?utm\_source=fweb&utm\_medium=fjour&utm\_campaign=impact-2021-jour-hp-top)

Impact Factor 7.561 | CiteScore 8.1 More on impact >

# in Immunology (https://www.frontiersin.org/journals/276)

Mucosal Immu (https://www.fi





Suggest a Research Topic > (https://spotlight.frontiersin.org/submit?utm\_source=fweb&utm\_medium=fjour&utm\_campaign=rtlg\_2020\_gen)



Download Article





SHARE ON

PERSPECTIVE article LOGIN (HTTPS://WWW.FRONTIERSIN.ORG/PEOPLE/LOGIN) / BEGISTER (HTTPS://WWW.FRONTIERSIN.ORG/REGISTER) Front. Immunol., 30 November 2020 | https://doi.org/10.3389/fimmu.2020.611337 (https://doi.org/10.3389/fimmu.2020.611337) (https://www.frontiersin.org)

# Mucosal Immunity in COVID-19: A Neglected but Critical Aspect of SARS-CoV-2 Infection

Michael W. Russell (https://www.frontiersin.org/people/u/23120)<sup>1\*</sup>, 📃 Zina Moldoveanu (https://www.frontiersin.org/people/u/32089)<sup>2</sup>, 🔄 Pearay L. Ogra<sup>3</sup> and 💽 Jiri Mestecky (https://www.frontiersin.org/people/u/33925)<sup>2</sup>

<sup>1</sup>Department of Microbiology and Immunology, Jacobs School of Medicine and Biomedical Sciences, University at Buffalo, Buffalo, NY, United States <sup>2</sup>Department of Microbiology, University of Alabama at Birmingham, Birmingham, AL, United States

<sup>3</sup>Division of Infectious Diseases, Department of Pediatrics, Jacobs School of Medicine and Biomedical Sciences, University at Buffalo, Buffalo, NY, United States TABLE OF CONTENTS

AThe mucosal immune system is the largest component of the entire immune system, having evolved to provide protection at the main sites of infectious threat: the mucosae. As SARS-CoV-2 initially infects the upper respiratory tract, its first interactions with the immune system must occur predominantly at the respiratory mucosal surfaces, during both inductive and effector phases of the response. However, almost all studies of the immune response in RCOVID-19 have focused exclusively on serum antibodies and systemic cell-mediated immunity including innate responses. This article proposes that there is a significant role for mucosal immunity and for secretory as well as circulating IgA antibodies in COVID-19, and that it is important to elucidate this in order to comprehend especially the asymptomatic and mild states of the infection, which appear to account for the majority of cases. Moreover, it is possible that mucosal immunity can be exploited for beneficial diagnostic, therapeutic, or prophylactic purposes.

#### Conflict of Interest

## RIntroduction

Although the COVID-19 pandemic has been ongoing now for several months, very little attention has been given to mucosal immunity in SARS-CoV-2 infection. Yet this virus primarily infects the mucosal surfaces of the respiratory tract (and possibly also the digestive tract) at least until advanced stages of the disease when viral RNA may become detectable in the circulation (1). The virus may also be acquired through the mouth, and at the conjunctival surface of the eye whence it drains into the nasal passages through the lacrimal duct. This means that its interactions with the immune system, during both inductive and effector phases, must first occur predominantly if not exclusively at the respiratory and oral mucosae. This has profound implications for the outcomes and should guide our approach to investigating and comprehending adaptive immunity in COVID-19 disease, including its diagnosis, treatment, and effective vaccine development. In terms of both the deployment of immune cells and the production of immunoglobulins, the mucosal immune system is by far the largest component of the entire immune system, having evolved to provide protection at the main sites of infectious threat: the mucosae (2). Secretory IgA (SIgA) is produced in quantities far exceeding those of all other immunoglobulin isotypes, occurring in three molecular forms (secretory, polymeric, and monomeric), two subclasses (IgA1 and IgA2), and numerous glycoforms (4), collectively indicating marked differences in physiological function relating partly to the locations in which they occur. Whereas circulating IgA is mostly monomeric, and consists predominantly of IgA1 subclass, SIgA is dimeric and consists of variable proportions of IgA1 and IgA2 (Table 1). Few functional differences have been attributed to the IgA subclasses, apart from their being preferentially induced by protein vs. carbohydrate antigens (Table 1), and the longer hinge of IgA1 gives it greater flexibility to reach separated antigenic epitopes. However, different effector fun

JOURNALS(HTTPS://WWW FRONTIERSIN.ORG/JOURNALS)

Check for

LOGIN (HTTPS://WWW.FRONTIERSIN.ORG/PEOPLE/LOGIN) / REGISTER (HTTPS://WWW.FRONTIERSIN.ORG/REGISTER) ABOUT(HTTPS://WWW.FRONTIERSIN.ORG/ABOUT/ABOUT-FRONTIERS) JOURNALS(HTTPS://WWW.FRONTIERSIN.ORG/ABOUT/ABOUT-FRONTIERS) JOURNALS(HTTPS://WWW.FRONTIERSIN.ORG/ABOUT/ABOUT-FRONTIERS)

(https://www.fragtiersin.org)

	Borum	Becretions
Lavalla	0.5-0.5 mg/mi	Highly variable in different secretions
Meturation	Adult invels reached in	Adult levels mached at 6-12
	Infraredent maturation	
Site of	Bone marcial to spikers,	Mucosal Issues
production	bengh-nodes	
	IgA produced systemical secretions	y is not transported into
Molecular forms	Prodominantly monomeric	Polymeric (dmens and tetramens) SigA
Babchenes	85% (64)	IgA1 dominant in most
	15% 8642	secretions except for
		The large intestine and genital
		Tact
Specificity of igA antibodies		
Proteins	lgar.t	kgA/I
Polysaccharides	1042-4041	1942-1941
Wuttes	light 1	10A1
Effector functions		Inhibition of antigen uptake
	Arti-inflammatory activity	inhibition of bacterial acherence
	Neutralization of biologically	Neutralization of biologically
	active antigens	active antigens
		Histolular neutralization of
		visuos within apitholal calls
	Structural and functional	differences

(https://www.frontiersin.org/files/Articles/611337/fimmu-11-611337-HTML/image\_m/fimmu-11-611337-too1.jpg) **Table 1** Independence of systemic and mucosal IgA compartments.

#### TABLE OF CONTENTS

# Abstract

TARS "COV-2" first mainly infects the upper respiratory tract (URT), mucosal immune responses are expected to be induced in the nasopharynx, both across the nasal repitificitum and *via* the tonsils and adenoids, which are collectively referred to as nasopharynx-associated lymphoid tissue (NALT) that serve as inductive sites for the immossal immune system (6, 7). It is possible that responses might also be induced through mucosal inductive sites in the lacrimal duct (8) or the oral cavity (9), although the quantitative contribution of such sites to mucosal immune responses in humans is uncertain. Bronchus-associated lymphoid tissue (BALT) is not normally present in addult humans but can be found in children and adolescents, and may be induced to form by infections (10). This raises interesting questions as to whether responses induced in BALT might contribute to the reported greater resistance of young people to COVID-19 disease, or whether BALT might be induced by SARS-CoV-2 with consequences for the course of infection. All such mucosal inductive site tissues generate IgA-producing mucosal B cells that home to various remote mucosal effector references sites where they differentiate into polymeric (p) IgA-secreting plasma cells. In addition, systemic IgG-producing B cells are also induced in the tonsils and these home to peripheral lymphoid tissues where they differentiate and secrete IgG for the circulation (11). In the subepithelial spaces of the mucosae and associated glands, mucosal plasma cells produce pIgA which is selectively transported into the secretions by the polymeric immunoglobulin receptor-mediated pathway, being released as SIgA (12). Both in the nasal passages and as it descends into the trachea and bronchi, the virus encounters a SIgA-dominated environment, which is generated through the mucosal immune system and maintains an essentially non-inflammatory milieu. However, once it reaches the terminal airways and alveoli it enters an environment dominated by IgG derived from the ci

Most attention has been given to virus-neutralizing antibodies, especially circulating antibodies (13–15). However, these can only be effective in the prevention of infection or disease if they reach the mucosal surfaces where the virus is present, and it should be noted that circulating IgA, even in polymeric form, is not effectively transported into secretions (16). While plasma-derived IgG occurs in the URT and especially the lower respiratory tract (LRT), IgG is inflammatory in its mode of action, by the induction of such effector mechanisms as complement activation and the engagement of phagocytes such as macrophages and neutrophils as well as natural killer (NK) cells. The serious pathology of COVID-19 occurs in the terminal airways of the lungs, where circulating IgG is the dominant immunoglobulin. The resulting intense inflammation involves multiple molecular and cellular factors, including cells recruited by virus-induced chemo-attractants (17). The cellular arm of the adaptive immune response, including CD4+ and cytotoxic CD8+ T cells, is also delivered *via* the circulation and can reach the alveoli. However, cytotoxic cells by their nature cannot *prevent* infection: they destroy *already infected* cells and thereby curtail further propagation of the infection.

Almost all efforts at vaccine development against COVID-19 focus on systemic injection, which predominantly induces circulatory IgG antibodies and, potentially, LOGIN (HTTPS://WWW.FRONTIERSIN.ORG/PEOPLe/LOGIN) / REGISTER (HTTPS://WWW.FRONTIERSIN.ORG/REGISTER) (https://www.frontiersin.org/about/https://www.front

through the NALT in the URT. Mucosal immune responses are partly compartmentalized, as the distribution of the responses depends on the actual route of induction (7, 19). For example, the enteric route predominantly generates responses in the gastro-intestinal tract, whereas the nasal route predominantly generates responses in the respiratory tract and salivary glands (7). The reasons for these differential distributions lie in the imprinting of the T and B cells induced in the respective inductive sites, the gut-associated lymphoid tissues (GALT, such as the intestinal Peyer's patches) or NALT, with "homing" receptors including specific integrins and chemokine receptors specific for the target tissues (20). In practical terms this means that intranasal immunization should be an effective means of generating predominantly SIgA antibody responses in the URT and LRT, where SARS-CoV-2 could be neutralized and eliminated without inflammatory consequences. In addition, it implies that assaying IgA antibodies in nasal secretions or saliva should be a more informative way of assessing effective immune responses against SARS-CoV-2, whether induced by the natural infection or by intranasal immunization. Assaying serum IgA antibodies, while of additional interest, is *not* a substitute, because serum IgA comes from a different source (mainly the bone marrow) and consists mostly of monomeric IgA1. This is distinct from mucosal SIgA, which consists of both subclasses and is locally synthesized by pIgA-secreting plasma cells resident in the sub-epithelial spaces (lamina propria) of mucosal tissues and glands (21).

TABLE OF CONTENTS SIGA antibodies are known to be effective against various pathogens, including viruses, by such mechanisms as neutralization, inhibition of adherence to and invasion of Aepithelial cells, agglutination and facilitation of removal in the mucus stream (22). Intracellular mechanisms of inhibiting viral replication have also been described (23). Moreover, SIGA is essentially non-inflammatory, even anti-inflammatory, in its mode of action. IgA does not activate complement by the classical pathway and alternative pathway activation by IgA is largely artifactual, while the lectin pathway depends on the terminal sugar residues in the glycan structures (22). Furthermore, IgA antibodies Rhave even been shown to inhibit complement activation mediated by IgM or IgG antibodies (24, 25). Interestingly, results from a human systemic HIV immunization trial psuggest that high levels of serum IgA responses compromised the protective function of IgG antibodies with the same antigenic specificity and were associated with a higher risk of HIV infection (26).

Alt is note worthy that whereas mucosal SIgA levels rise rapidly in infants and reach adult levels early in childhood, serum IgA levels mature much more slowly and may not attain full adult levels until adolescence (27). Given the apparent difference in susceptibility to COVID-19 disease between young children and adults (28), these differences in immune response maturation should be considered.

Selective IgA deficiency is relatively common among people of European descent, where prevalence may reach 1 in approximately 400 persons (29). The deficiency affects both mucosal and circulatory compartments and subjects often show increased susceptibility to URT infections. Whether and how IgA-deficiency affects COVID-19 is completely unknown. On one hand, if mucosal SIgA antibodies in the URT exert a protective effect against the early stages of SARS-CoV-2 infection, then deficiency of SIgA would be expected to enhance the infection, facilitating descent into the LRT and leading to advanced disease. Alternatively, an absence of circulatory IgA with its capacity to interfere with IgM- and IgG-mediated defense mechanisms might prove beneficial in LRT infection, where IgG antibodies predominate. Yet again, the absence of anti-inflammatory control by IgA antibodies might facilitate dysregulated inflammation. Thus IgA deficiency affords an opportunity for testing hypotheses concerning the role of IgA in COVID-19.

# Discussion

We contend that mucosal immunity has a major part to play in COVID-19, at several levels. Given that SARS-CoV-2 first infects mainly through the nasal passages, possibly through the eyes followed by drainage into the URT, also through the mouth, we would predict that the first immune responses should be revealed through the mucosal immune system, with the appearance of SIgA antibodies in URT secretions, and also in saliva and lacrimal fluid. Concomitant production of serum IgG and IgA antibodies might also occur (11). Prior to the production of SIgA antibodies, there should be a wave of IgA antibody-secreting cells in the circulation. This typically occurs with a peak at around 6-10 days after a discrete mucosal immunization event, as the B cells induced in the mucosal immune inductive sites (such as NALT) express

(https://ww

mucosal homing receptors such as 0.487 integrin and migrate to the effector sites where they terminally differentiate into pIgA-secreting plasma cells (11, 30). Circulating Locin (HTTPS://WWW.FRONTIERSIN.ORG/PEOPLE/LOGIN) / REGISTER HTTPS://WWW.FRONTIERSIN.ORG/REGISTER Journals) about HTTPS://WWW.FRONTIERSIN.ORG/PEOPLE/LOGIN) / REGISTER HTTPS://WWW.FRONTIERSIN.ORG/REGISTER www.frontiersin.org/about from the consils, and these usually express peripheral homing receptors, such as L-selectin.

The period in which these cells can be detected is limited, as this wave of migrating B cells is transient after an inducing event, which in the case of SARS-CoV-2 infection might be up to 4-5 days (or longer) before symptoms first occur. If so, peak cell migration could be some 4-5 days after symptoms occur. However, in the presence of continuing infection and ongoing immune stimulation, it is possible that antibody-secreting cells would continue to circulate as repeated waves of induced B cells are released from the inductive sites, as has been reported for HIV infections (31). Because of uncertainties in the kinetics of IgM, IgG, and IgA antibody development in infected individuals, detailed analysis of antibody-secreting cells and their expression of homing receptors, and their persistence in lymphoid tissues, will provide essential additional and more comprehensive information concerning the immune response to SARS-CoV-2. Such analyses might illuminate differences in the clinical outcome of the infection in children compared to symptomatic or asymptomatic adults. Determining these antibody and cellular responses of the mucosal immune system can be expected to provide valuable information that is distinct from, and complementary to, the determination of serum IgG antibody responses. Furthermore, it is reasonable to expect that the information would yield valuable insights into the progress of COVID-19 disease, whether it is confined to the URT and resolved with minimal symptoms, as seems to be the case in the majority of infections that are asymptomatic or clinically mild, or descends into the LRT with more severe consequences **TRUGHING CONTRE**, and possibly fatal, inflammatory disease in the terminal airways (32). However, a key requirement for obtaining reliable results is that procedures asserted for the collection of samples as well as the assay methods must be designed with the characteristics of mucosal immune responses and the distinctive features of asserted for the collection of samples as well as

The second periods of viral shedding (34). Serum and salivary IgA antibody responses to SARS-Cov-2 spike antigens have now been reported (35), and salivary IgA antibodies persisted for at least 3 months. Interestingly, while good correlations were found between serum and salivary IgM and IgG antibody levels, there was much weaker correlation between serum and salivary IgA antibodies, as expected given that salivary IgM and IgG are largely derived from the circulation, whereas salivary IgA is mostly generated locally in the salivary glands as SIgA (19). Two recent preprints report that IgA antibodies against SARS-CoV-2 were elevated in nasal fluids, tears, and author Contributions salivary subjects (36, 37), and that IgA-secreting plasmablasts expressing the mucosal chemokine receptor CCR10 were elevated in the peripheral blood of SARS-CoV-2. Further studies aimed at relating "these responses to the course of infection in subjects of different age-groups and with different disease outcomes are awaited with great interest.

Finally we expect that efforts in vaccine development aimed at inducing mucosal immune responses and memory cells, especially in the URT, would yield benefits not seen with conventional parenteral routes of vaccine administration. Intranasal vaccines are already available against influenza and others are under development (30, 38). The advantages, in addition to needle-free administration, include the generation of both mucosal (SIgA) and circulating (IgG and IgA) antibodies, as well as T-cell responses. As discussed above, such responses might achieve desirable results not obtained with systemic immunization routes.

In summary, based on the route whereby SARS-CoV-2 infection is acquired and the independence of mucosal and systemic responses, there must be a mucosal immune dimension to COVID-19. Whether it makes a significant contribution to the outcome of SARS-CoV-2 infection, or can be exploited to good effect for diagnostic purposes or for therapy and prophylaxis, can only be determined by carrying out appropriate investigations. Table 2 lists some potentially important studies that should be undertaken to elucidate mucosal immune responses in SARS-CoV-2 infection.

#### TABLE 2

(https://www.frontiersin.org/files/Articles/611337/fimmu-11-611337-HTML/image\_m/fimmu-11-611337-too2.jpg) **Table 2** Desirable future studies on mucosal immune responses to SARS-CoV-2. LOGIN (HTTPS://WWW.FRONTIERSIN.ORG/PEOPLE/LOGIN) / REGISTER (HTTPS://WWW.FRONTIERSIN.ORG/REGISTER) ABOUT(HTTPS://WWW.FRONTIERSIN.ORG/ABOUT/ABOUT-FRONTIERS) JOURNALS(HTTPS://WWW.FRONTIERSIN.ORG/JOURNALS)

# **Data Availability Statement**

Any original contributions presented in the study are included in the article material.

# Author Contributions

TABLE OF CONTENTS

The aims of this article were conceived by all authors. MR wrote the first draft, which was reviewed and amended by all authors to create the final version. All authors contributed to the article and approved the submitted version.

Introduction

(https://www.frontiersin.org)

### The Role of Mucosal Immune

## **Conflict of Interest**

Discussion

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest. Data Availability Statement

Author Contributions

# References

Refe Remejo-Martin JF, Gonzalez-Rivera M, Almansa R, Micheloud D, Dominguez-Gil M, Resino S, et al. SARS-CoV-2 RNA viremia is associated with a sepsis-like host response and critical illness in COVID-19. medRxiv (2020) 2020.08.25.20154252. doi: 10.1101/2020.08.25.20154252

CrossRef Full Text (https://doi.org/10.1101/2020.08.25.20154252) | Google Scholar (http://scholar.google.com/scholar\_lookup?author=JF+Bermejo-Martin&author=M+Gonzalez-Rivera&author=R+Almansa&author=D+Micheloud&author=M+Dominguez-Gil&author=S+Resino&publication\_year=2020&title=SARS-CoV-2%20RNA%20viremia%20is%20associated%20with%20a%20sepsis-like%20host%20response%20and%20critical%20illness%20in%20COVID-19&journal=medRxiv&pages=2020.08.25,20154252)

2. Russell MW, Mestecky J, Strober W, Kelsall BL, Lambrecht BN, Cheroutre H. The mucosal immune system: Overview. In: Mestecky J, Strober W, Russell MW, Kelsall BL, Cheroutre H, Lambrecht BN, editors. *Mucosal Immunology*, 4. Amsterdam: Academic Press/Elsevier (2015). p. 3–8.

Google Scholar (http://scholar.google.com/scholar\_lookup?

 $author=MW+Russell\&author=J+Mestecky\&author=W+Strober\&author=BL+Kelsall\&author=BN+Lambrecht\&author=H+Cheroutre\&publication\_year=2015\&title=The\%20mucosal\%20immune\%20system\%3A\%20Overview\&book=Mucosal+Immunology\&pages=3)$ 

3. Russell MW. Biological functions of IgA. In: Kaetzel CS, editor. Mucosal Immune Defense: Immunoglobulin A. New York: Springer (2007). p. 144–72.

Google Scholar (http://scholar.google.com/scholar\_lookup?

 $author = MW + Russell \& publication\_year = 2007 \& title = Biological \% 20 functions \% 200f \% 20 IgA \& book = Mucosal + Immune + Defense: + Immunoglobulin + A \& pages = 144-72) \& for the second state of th$ 

4. Woof JM, Mestecky J. Mucosal immunoglobulins. In: Mestecky J, Strober W, Russell MW, Kelsall BL, Cheroutre H, Lambrecht BN, editors. In: *Mucosal Immunology*, 4. Amsterdam: Academic Press/Elsevier (2015). p. 287–324.

Google Scholar (http://scholar.google.com/scholar\_lookup?

 $author=JM+Woof\&author=J+Mestecky\&publication\_year=2015\&title=Mucosal\%20immunoglobulins.\%20In\%3A\%20Mestecky\%20J\%2C\%20Strober\%20W\%2C\%20Russell\%20MW\%2C\%20Kelsall\%20BL\%2C\%20Cheroutre\%20H\%2C\%20Lambrecht\%20BN\%2C\%20editors\&book=Mucosal+Immunology\&pages=287)$ 

5. Steffen U, Koeleman CA, Sokolova MV, Bang H, Kleyer A, Rech J, et al. IgA subclasses have different effector functions associated with distinct glycosylation profiles. Nat Communs (2020) 11:120.

# (https://www.frontiersin.org) Text (https://doi.org/10.1038/s41467-019-13992-8) | Google Scholar (http://scholar.google.com/scholar\_lookup?

 $author = U + Steffen \& author = CA + Koeleman \& author = MV + Sokolova \& author = H + Bang \& author = A + Kleyer \& author = J + Rech \& publication_year = 2020 \& title = IgA \% 20 subclasses \% 20 have \% 20 different \% 20 effector \% 20 functions \% 20 associated \% 20 with \% 20 distinct \% 20 glycosylation \% 20 profiles \& journal = Nat + Communs \& volume = 11 \& pages = 120 )$ 

6. Brandtzaeg P. Immunobiology of the tonsils and adenoids. In: Mestecky J, Strober W, Russell MW, Kelsall BL, Cheroutre H, Lambrecht BN, editors. *Mucosal Immunology*, 4. Amsterdam: Academic Press/Elsevier (2015). p. 1985–2016.

Google Scholar (http://scholar.google.com/scholar\_lookup?

 $author=P+Brandtzaeg\& publication\_year=2015\& title=Immunobiology\%200f\%20the\%20tonsils\%20and\%20adenoids\& book=Mucosal+Immunology\& pages=1985)$ 

7. Boyaka PN, McGhee JR, Czerkinsky C, Mestecky J. Mucosal vaccines: an overview. In: Mestecky J, Bienenstock J, Lamm ME, Mayer L, Strober W, McGhee JR, editors. *Mucosal Immunology*, 3. Amsterdam: Academic Press/Elsevier (2005). p. 855–86.

Google Scholar (http://scholar.google.com/scholar\_lookup?

 $author=PN+Boyaka \& author=JR+McGhee \& author=C+Czerkinsky \& author=J+Mestecky \& publication\_year=2005 \& title=Mucosal \% 20 vaccines \% 3A\% 20 an \% 20 vaccines \% 3A\% 20 vaccines \% 3A$ 

8. O'Sullivan NL, Montgomery PC. Ocular mucosal immunity. In: Mestecky J, Strober W, Russell MW, Kelsall BL, Cheroutre H, Lambrecht BN, editors. *Mucosal Immunology*, 4. Amsterdam: Academic TABLE OF CONTENTS (2015). p. 1873–97.

AbstracGoogle Scholar (http://scholar.google.com/scholar\_lookup?

Introduction 9. Czerkinsky C, Cuburu N, Kweon MN, Anjuere F, Holmgren J. Sublingual vaccination. *Hum Vacc* (2011) 7:110–4. doi: 10.4161/hv.7.1.13739

The Role of Mucosal Immune CrossRef Full Text (https://doi.org/10.4161/hv.7.1.13739) | Google Scholar (http://scholar.google.com/scholar\_lookup?

 $Responses for seven author = C+Czerkinsky & author = N+Cuburu & author = MN+Kweon & author = F+Anjuere & author = J+Holmgren & publication_year = 2011 & title = Sublingual & 20vaccination & journal = Hum+Vacc & volume = 7 & pages = 110 \\ Discussion & Discussion & J+Holmgren &$ 

10. Tschernig T, Pabst R. Bronchus-associated lymphoid tissue (BALT) is not present in the normal adult lung but in different diseases. Pathobiology (2000) 68:1–8. doi: 10.1159/000028109 Data Availability Statement

associated%20lymphoid%20tissue%20%28BALT%29%20is%20not%20present%20in%20the%20normal%20adult%20lung%20but%20in%20different%20diseases&journal=Pathobiology&volume=68&pages=1

Referr? Qfifding-Järbrink M, Nordström I, Granström G, Kilander A, Jertborn M, Butcher EC, et al. Differential expression of tissue-specific adhesion molecules on human circulating antibody-forming cells after systemic, enteric, and nasal immunizations. A molecular basis for the compartmentalization of effector B cell responses. J Clin Invest (1997) 99:1281–6. doi: 10.1172/JCI119286

PubMed Abstract (https://pubmed.ncbi.nlm.nih.gov/9077537/) | CrossRef Full Text (https://doi.org/10.1172/JCI119286) | Google Scholar (http://scholar.google.com/scholar\_lookup?author=M+Quiding-J%C3%A4rbrink&author=I+Nordstr%C3%B6m&author=A+Kilander&author=M+Jertborn&author=EC+Butcher&publication\_year=1997&title=Differential%20expression%200f %20tissue-specific%20adhesion%20molecules%20on%20human%20circulating%20antibody-

12. Baker K, Blumberg RS, Kaetzel CS. Immunoglobulin transport and immunoglobulin receptors. In: Mestecky J, Strober W, Russell MW, Kelsall BL, Cheroutre H, Lambrecht BN, editors. *Mucosal Immunology*, 4. Amsterdam: Academic Press/Elsevier (2015). p. 349–407.

Google Scholar (http://scholar.google.com/scholar\_lookup?

 $author=K+Baker\&author=RS+Blumberg\&author=CS+Kaetzel\&publication\_year=2015\&title=Immunoglobulin\%20transport\%20and\%20immunoglobulin\%20traceptors\&book=Mucosal+Immunology\&pages=349)$ 

13. Klingler J, Weiss S, Itri V, Liu X, Oguntuyo KY, Stevens C, et al. Role of IgM and IgA antibodies to the neutralization of SARS-CoV-2. medRxiv (2020) 2020.08.18.20177303. doi: 10.1101/2020.08.18.20177303

PubMed Abstract (https://pubmed.ncbi.nlm.nih.gov/33173891/) | CrossRef Full Text (https://doi.org/10.1101/2020.08.18.20177303) | Google Scholar (http://scholar.google.com/scholar\_lookup? author=J+Klingler&author=S+Weiss&author=V+Itri&author=X+Liu&author=C+Stevens&publication\_year=2020&title=Role%200f%20IgM%20and%20IgA%20antibodies%20to%20the %20neutralization%20of%20SARS-CoV-2&journal=medRxiv&pages=2020.81.8.20177303)

14. Ejemel M, Li Q, Hou S, Schiller ZA, Tree JA, Wallace A, et al. A cross-reactive human IgA monoclonal antibody blocks SARS-CoV-2 spike-ACE2 interaction. Nat Communs (2020) 11:4198. doi: 10.1038/s41467-020-18058-8



CrossRef Full Text (https://doi.org/10.1038/s41467-020-18058-8) | Google Scholar (http://scholar.google.com/scholar\_lookup?

almontoffelines/www.frontoffelin

15. Wec AZ, Wrapp D, Herbert AS, Maurer DP, Haslwanter D, Sakharkar M, et al. Broad neutralization of SARS-related viruses by human monoclonal antibodies. Science (2020) 369:731–6. doi: 10.1126/science.abc7424

PubMed Abstract (https://pubmed.ncbi.nlm.nih.gov/32540900/) | CrossRef Full Text (https://doi.org/10.1126/science.abc7424) | Google Scholar (http://scholar.google.com/scholar\_lookup? author=AZ+Wec&author=D+Wrapp&author=AS+Herbert&author=D+Haslwanter&author=M+Sakharkar&publication\_year=2020&title=Broad%20neutralization%200f%20SARS-related%20viruses%20by%20human%20monoclonal%20antibodies&journal=Science&volume=369&pages=731-6)

16. Kubagawa H, Bertoli LF, Barton JC, Koopman WJ, Mestecky J, Cooper MD. Analysis of paraprotein transport into saliva by using anti-idiotype antibodies. J Immunol (1987) 138:435-9.

PubMed Abstract (https://pubmed.ncbi.nlm.nih.gov/3794339/) | Google Scholar (http://scholar.google.com/scholar\_lookup? author=H+Kubagawa&author=LF+Bertoli&author=JC+Barton&author=WJ+Koopman&author=J+Mestecky&author=MD+Cooper&publication\_year=1987&title=Analysis%20of%20paraprotein%20transport% 20into%20saliva%20by%20using%20anti-idiotype%20antibodies&journal=J+Immunol&volume=138&pages=435-9)

17. Blanco-Melo D, Nilsson-Payant BE, Liu WC, Uhl S, Hoagland D, Moller R, et al. Imbalanced host response to SARS-CoV-2 drives development of COVID-19. Cell (2020) 181(5):1036–45.e9. doi: 10.1016/j.cell.2020.04.026

PubMed Abstract (https://pubmed.ncbi.nlm.nih.gov/32416070/) | CrossRef Full Text (https://doi.org/10.1016/j.cell.2020.04.026) | Google Scholar (http://scholar.google.com/scholar\_lookup? TABLE OF CONTENTS author=DE+Nilsson-

 $Payant \& author = WC + Liu \& author = S + Uhl \& author = D + Hoagland \& author = R + Moller \& publication_year = 2020 \& title = Imbalanced % 20 host % 20 response % 20 to % 20 SARS-CoV-Abstract_2 & 20 drives % 20 drives$ 

Introf8/Wablet N, Britton GJ, Gruber C, Hegde S, Kim J, Kuksin M, et al. Immunology of COVID-19: current state of the science. Immunity (2020) 52:910-41. doi: 10.1016/j.immuni.2020.05.002

The RoleubMed abstrace (https://pubmed.ncbi.nlm.nih.gov/32505227/) | CrossRef Full Text (https://doi.org/10.1016/j.immuni.2020.05.002) | Google Scholar (http://scholar.google.com/scholar\_lookup? Response to the second s

19%3A%20current%20state%20of%20the%20science&journal=Immunity&volume=52&pages=910-41)

Discussion 19. Brandtzaeg P. Secretory immunity with special reference to the oral cavity. *J Oral Microbiol* (2013) 5:20401. doi: 10.3402/jom.v5i0.20401

Data Availability. Statement crossRef Full Text (https://doi.org/10.3402/jom.v5i0.20401) | Google Scholar (http://scholar.google.com/scholar\_lookup?

Author author=P+Brandtzaeg&publication\_year=2013&title=Secretory%20immunity%20with%20special%20reference%20to%20the%20oral%20cavity&journal=J+Oral+Microbiol&volume=5&)

20. Mikhak Z, Agace WW, Luster AD. Lymphocyte trafficking to mucosal tissues. In: Mestecky J, Strober W, Russell MW, Kelsall BL, Cheroutre H, Lambrecht BN, editors. *Mucosal Immunology*, 4. Amsterdam: Confinerest Academic Press/Elsevier (2015). p. 805–30.

Referen@66gle Scholar (http://scholar.google.com/scholar\_lookup?

 $author=Z+Mikhak\& author=WW+Agace\& author=AD+Luster\& publication\_year=2015\& title=Lymphocyte\%20 trafficking\%20 to\%20 mucosal\%20 tissues\& book=Mucosal+Immunology\& pages=805-30)$ 

21. Conley ME, Delacroix DL. Intravascular and mucosal immunoglobulin A: Two separate but related systems of immune defense? Ann Int Med (1987) 106:892-9. doi: 10.7326/0003-4819-106-6-892

PubMed Abstract (https://pubmed.ncbi.nlm.nih.gov/3579073/) | CrossRef Full Text (https://doi.org/10.7326/0003-4819-106-6-892) | Google Scholar (http://scholar.google.com/scholar\_lookup? author=ME+Conley&author=DL+Delacroix&publication\_year=1987&title=Intravascular%20and%20mucosal%20immunoglobulin%20A%3A%20Two%20separate%20but%20related%20systems%20of%20imm une%20defense&journal=Ann+Int+Med&volume=106&pages=892-9)

22. Russell MW, Kilian M, Mantis NJ, Corthésy B. Biological activities of mucosal immunoglobulins. In: Mestecky J, Strober W, Russell MW, Kelsall BL, Cheroutre H, Lambrecht BN, editors. *Mucosal Immunology*, 4. Amsterdam: Academic Press/Elsevier (2015). p. 429–54.

Google Scholar (http://scholar.google.com/scholar\_lookup?

 $author=MW+Russell\&author=M+Kilian\&author=NJ+Mantis\&author=B+Corth\%C3\%A9 sy\&publication\_year=2015\&title=Biological\%20activities\%200f\%20mucosal\%20immunoglobulins\&book=Mucosal+Immunology\&pages=429-54)$ 

23. Bidgood SR, Tam JC, McEwan WA, Mallery DL, James LC. Translocalized IgA mediates neutralization and stimulates innate immunity inside infected cells. *Proc Natl Acad Sci USA* (2014) 111(37):13463–8. doi: 10.1073/pnas.1410980111

PubMed Abstract (https://pubmed.ncbi.nlm.nih.gov/25169018/) | CrossRef Full Text (https://doi.org/10.1073/pnas.1410980111) | Google Scholar (http://scholar.google.com/scholar\_lookup? author=SR+Bidgood&author=JC+Tam&author=UL+Mallery&author=LC+James&publication\_year=2014&title=Translocalized%20IgA%20mediates%20neutralization%20and%20stimul ates%20innate%20inmunity%20inside%20infected%20cells&journal=Proc+Natl+Acad+Sci+USA&volume=111&pages=13463-8)

24. Griffiss JM, Goroff DK. IgA blocks IgM and IgG-initiated immune lysis by separate molecular mechanisms. J Immunol (1983) 130:2882-5.

PubMed Abstract (https://pubmed.ncbi.nlm.nih.gov/6854021/) | Google Scholar (http://scholar.google.com/scholar\_lookup? 

(https://www.froninitistr.drapimmune%20lysis%20by%20separate%20molecular%20mechanisms&journal=J+Immunol&volume=130&pages=2882-5)

25, Russell MW, Reinholdt J, Kilian M, Anti-inflammatory activity of human IgA antibodies and their Fabalpha fragments: inhibition of IgG-mediated complement activation. Eur J Immunol (1989) 19:2243-9. doi: 10.1002/eji.1830191210

PubMed Abstract (https://pubmed.ncbi.nlm.nih.gov/2606139/) | CrossRef Full Text (https://doi.org/10.1002/eji.1830191210) | Google Scholar (http://scholar.google.com/scholar lookup? author=MW+Russell&author=J+Reinholdt&author=M+Kilian&publication vear=1989&title=Antiinflammatory%20activity%20of%20human%20IgA%20antibodies%20and%20their%20Fabalpha%20fragments%3A%20inhibition%20of%20IgG-

- mediated%20complement%20activation&journal=Eur+J+Immunol&volume=19&pages=2243-9)
- 26. Tomaras GD, Ferrari G, Shen X, Alam SM, Liao H-X, Pollara J, et al. Vaccine-induced plasma IgA specific for the C1 region of the HIV-1 envelope blocks binding and effector function of IgG. Proc Natl Acad Sci USA (2013) 110:9019-24. doi: 10.1073/pnas.1301456110

PubMed Abstract (https://pubmed.ncbi.nlm.nih.gov/23661056/) | CrossRef Full Text (https://doi.org/10.1073/pnas.1301456110) | Google Scholar (http://scholar.google.com/scholar lookup? author=GD+Tomaras&author=G+Ferrari&author=X+Shen&author=SM+Alam&author=H-X+Liao&author=J+Pollara&publication vear=2013&title=Vaccine-Vaccineinduced%20plasma%20IgA%20specific%20for%20the%20C1%20region%20of%20the%20HIV-

1%20envelope%20blocks%20binding%20and%20effector%20function%20of%20IgG&journal=Proc+Natl+Acad+Sci+USA&volume=110&pages=9019-24)

TABLE? OF UC South Strugganovic F, Arnautalic L, Tihic N, Halilovic D, Jahic M. Diagnostic significance of reduced IgA in children. Med Arch (2014) 68:381-3. doi: 10.5455/medarh.2014.68.381-383

PubMed Abstract (https://pubmed.ncbi.nlm.nih.gov/25648982/) | CrossRef Full Text (https://doi.org/10.5455/medarh.2014.68.381-383) | Google Scholar (http://scholar.google.com/scholar lookup? Abstract author=J+Nurkic&author=F+Numanovic&author=L+Arnautalic&author=N+Tihic&author=D+Halilovic&author=M+Jahic&publication\_year=2014&title=Diagnostic%20significance%20of%20reduced%20IgA% 20in%20children&journal=Med+Arch&volume=68&pages=381-3) Introdu

28. Fischer A. Resistance of children to Covid-19. How? Mucosal Immunol (2020) 13:563-5. doi: 10.1038/s41385-020-0303-9 The Role of Mucosal Immune

- Respon RebMed Abstract (https://pubmed.ncbi.nlm.nih.gov/32467603/) | CrossRef Full Text (https://doi.org/10.1038/s41385-020-0303-9) | Google Scholar (http://scholar.google.com/scholar\_lookup? author=A+Fischer&publication\_year=2020&title=Resistance%20of%20children%20to%20Covid-19.%20How&journal=Mucosal+Immunol&volume=13&pages=563-5)
- Discussion 29. Mestecky J, Hammarström L. IgA-associated diseases: decreased levels of IgA IgA deficiency. In: Kaetzel CS, editor. *Mucosal Immune Defense: Immunoglobulin A*. New York: Springer (2007). p. 330–86.
- Author associated%20diseases%3A%20decreased%20levels%20of%20IgA%20-%20IgA%20deficiency&book=Mucosal+Immune+Defense:+Immunoglobulin+A&pages=330-86)

30. Moldoveanu Z, Clements ML, Prince SJ, Murphy BR, Mestecky J. Human immune responses to influenza virus vaccines administered by systemic or mucosal routes. Vaccine (1995) 13:1006-12. doi: 10.1016/0264-410x(95)00016-t

Refereners Med Abstract (https://pubmed.ncbi.nlm.nih.gov/8525683/) | CrossRef Full Text (https://doi.org/10.1016/0264-410x(95)00016-t) | Google Scholar (http://scholar.google.com/scholar\_lookup?  $author=Z+Moldoveanu\& author=ML+Clements\& author=SJ+Prince\& author=BR+Murphy& author=J+Mestecky& publication_year=1995\& title=Human\%20 immune\%20 responses\%20 to \%20 influenza\%20 virus\%20 responses\%20 to \%20 influenza\%20 virus\%20 responses\%20 to \%20 virus\%20 virus$ ovaccines%20administered%20by%20systemic%20or%20mucosal%20routes&journal=Vaccine&volume=13&pages=1006-12)

31. Mestecky J, Jackson S, Moldoveanu Z, Nesbit LR, Kulhavy R, Prince SJ, et al. Paucity of antigen-specific IgA responses in sera and external secretions of HIV-type 1-infected individuals. AIDS Res Hum Retroviruses (2004) 20:972-88. doi: 10.1089/aid.2004.20.972

PubMed Abstract (https://pubmed.ncbi.nlm.nih.gov/15585085/) | CrossRef Full Text (https://doi.org/10.1089/aid.2004.20.972) | Google Scholar (http://scholar.google.com/scholar\_lookup? author=J+Mestecky&author=S+Jackson&author=Z+Moldoveanu&author=LR+Nesbit&author=R+Kulhavy&author=SJ+Prince&publication vear=2004&title=Paucity%200f%20antigen=2004&title=Paucity%2004&title=specific%20IgA%20responses%20in%20sera%20and%20external%20secretions%20of%20HIV-type%201-infected%20individuals&journal=AIDS+Res+Hum+Retroviruses&volume=20&pages=972-88)

32. Zhang X, Tan Y, Ling Y, Lu G, Liu F, Yi Z, et al. Viral and host factors related to the clinical outcome of COVID-19. Nature (2020) 583:437-40. doi: 10.1038/s41586-020-2355-0

PubMed Abstract (https://pubmed.ncbi.nlm.nih.gov/32434211/) | CrossRef Full Text (https://doi.org/10.1038/s41586-020-2355-0) | Google Scholar (http://scholar.google.com/scholar lookup? author=X+Zhang&author=Y+Tan&author=G+Lu&author=F+Liu&author=Z+Yi&publication vear=2020&title=Viral%20and%20host%20factors%20related%20to%20the%20clinical%20outco me%20of%20COVID-19&journal=Nature&volume=583&pages=437-40)

33. Jackson S, Mestecky J, Moldoveanu Z, Spearman P, Appendix I: Collection and processing of human mucosal secretions. In: Mestecky J, Bienenstock J, Lamm ME, Mayer L, McGhee JR, Strober W, editors. Mucosal Immunology, 3. Amsterdam: Elsevier/Academic Press (2005). p. 1829-39.

Google Scholar (http://scholar.google.com/scholar lookup?

 $author=S+Jackson\&author=J+Mestecky\&author=Z+Moldoveanu\&author=P+Spearman\&publication_year=2005\&title=Appendix%20I%3A%20Collection%20and%20processing%20of%20human%20mucosal%20processing%20of%20human%20mucosal%20processing%20of%20human%20mucosal%20processing%20of%20human%20mucosal%20processing%20of%20human%20mucosal%20processing%20of%20human%20mucosal%20processing%20of%20human%20mucosal%20processing%20of%20human%20mucosal%20processing%20of%20human%20mucosal%20processing%20of%20human%20mucosal%20processing%2$ 20secretions&book=Mucosal+Immunology&pages=1829-39)

34. Callow KA. Effect of specific humoral immunity and some non-specific factors on resistance of volunteers to respiratory coronavirus infection. J Hyq (London) (1985) 95:173-89. doi: 10.1017/s0022172400062410



CrossRef Full Text (https://doi.org/10.1017/s0022172400062410) | Google Scholar (http://scholar.google.com/scholar\_lookup? alterin Kate Mower Band & Bost And Bost

(https://www.frontiesific.org/factors%20on%20resistance%20of%20volunteers%20to%20respiratory%20coronavirus%20infection&journal=J+Hyg+(London)&volume=05&pages=173-80)

35. Isho B, Abe KT, Zuo M, Jamal AJ, Rathod B, Wang JH, et al. Persistence of serum and saliva antibody responses to SARS-CoV-2 spike antigens in COVID-19 patients. Sci Immunol (2020) 5:eabe5511. doi: 10.1126/sciimmunol.abe5511

PubMed Abstract (https://pubmed.ncbi.nlm.nih.gov/33033173/) | CrossRef Full Text (https://doi.org/10.1126/sciimmunol.abe5511) | Google Scholar (http://scholar.google.com/scholar\_lookup? author=B+Isho&author=KT+Abe&author=M+Zuo&author=AJ+Jamal&author=B+Rathod&author=JH+Wang&publication vear=2020&title=Persistence%20of%20serum%20and%20saliva%20antibodv%20res ponses%20to%20SARS-CoV-2%20spike%20antigens%20in%20COVID-19%20patients&journal=Sci+Immunol&volume=5&pages=eabe5511)

36. Cervia C, Nilsson J, Zurbuchen Y, Valaperti A, Schreiner J, Wolfensberger A, et al. Systemic and mucosal antibody secretion specific to SARS-CoV-2 during mild versus severe COVID-19. bioRxiv (2020) 2020.05.21.108308. doi: 10.1101/2020.05.21.108308

CrossRef Full Text (https://doi.org/10.1101/2020.05.21.108308) | Google Scholar (http://scholar.google.com/scholar\_lookup?

author=C+Cervia&author=J+Nilsson&author=Y+Zurbuchen&author=A+Valaperti&author=J+Schreiner&author=A+Wolfensberger&publication year=2020&title=Systemic%20and%20mucosal%20antibody%2 osecretion%20specific%20to%20SARS-CoV-2%20during%20mild%20versus%20severe%20COVID-19&journal=bioRxiv&pages=2020.05,21.108308)

37. Sterlin D, Mathian A, Miyara M, Mohr A, Anna F, Claer L, et al. IgA dominates the early neutralizing antibody response to SARS-CoV-2. medRxiv (2020), 2020.06.10.20126532. doi: 10.1101/2020.06.10.20126532

 TABLE OF CONTENTS

 CrossRef Full Text (https://doi.org/10.1101/2020.06.10.20126532) | Google Scholar (http://scholar.google.com/scholar\_lookup?

author=D+Sterlin&author=A+Mathian&author=M+Miyara&author=F+Anna&author=L+Claer&publication vear=2020&title=IgA%20dominates%20the%20early%20neutralizing%20antibod Abstract %20response%20to%20SARS-CoV-2&journal=medRxiv&pages=2020.06.10.20126532)

Introger Russell MW, Mestecky J, Mucosal vaccines: Overview. In: Mestecky J, Strober W, Russell MW, Kelsall BL, Cheroutre H, Lambrecht BN, editors. Mucosal Immunology, 4. Amsterdam: Academic Press/Elsevier (2015). p. 1039-46.

The Role of Mucosal Immune

Responses and the second secon

author=MW+Russell&author=J+Mestecky&publication\_year=2015&title=Mucosal%20vaccines%3A%20Overview&book=Mucosal+Immunology&pages=1039-46)

Discussion

Data Availability Statement

Keywords: COVID-19, SARS-CoV-2, mucosal immunity, immune response, immunoglobulin A

Citation: Russell MW, Moldoveanu Z, Ogra PL and Mestecky J (2020) Mucosal Immunity in COVID-19: A Neglected but Critical Aspect of SARS-CoV-2 Infection. Front. Immunol. 11:611337. doi: 10.3389/fimmu.2020.611337 Received: 28 September 2020; Accepted: 10 November 2020;

Reublished: 30 November 2020.

Edited by:

Mats Bemark (https://loop.frontiersin.org/people/22953), University of Gothenburg, Sweden

Reviewed by:

Linda Saif (https://loop.frontiersin.org/people/34539), The Ohio State University, United States Guy Gorochov (https://loop.frontiersin.org/people/1108443), Sorbonne Universités, France

Copyright © 2020 Russell, Moldoveanu, Ogra and Mestecky. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY) (http://creativecommons.org/licenses/by/4.0/). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

#### \*Correspondence: Michael W. Russell, russellm@buffalo.edu (mailto:russellm@buffalo.edu)

Disclaimer: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article or claim that may be made by its manufacturer is not guaranteed or endorsed by the publisher.

Write a comment..

Addgin (https://www.frontiersin.org/people/login) / register (https://www.frontiersin.org/register) about(https://www.frontiersin.org/about/about-frontiers) journals(https://www.frontiersin.org/journals)

#### (https://www.frontiersin.org)

#### PEOPLE ALSO LOOKED AT

#### As Plain as the Nose on Your Face: The Case for A Nasal (Mucosal) Route of Vaccine Administration for Covid-19 Disease Prevention (/articles/10.3389/fimmu.2020.591897/full)

Craig R. Travis (https://loop.frontiersin.org/people/1050232/overview)

#### IgA Antibodies and IgA Deficiency in SARS-CoV-2 Infection (/articles/10.3389/fcimb.2021.655896/full)

Isabella Quinti (https://loop.frontiersin.org/people/122625/overview), Eva Piano Mortari (https://loop.frontiersin.org/people/438772/overview), Ane Fernandez Salinas, Cinzia Milito (https://loop.frontiersin.org/people/147436/overview) and Rita Carsetti (https://loop.frontiersin.org/people/25491/overview)

#### Different Innate and Adaptive Immune Responses to SARS-CoV-2 Infection of Asymptomatic, Mild, and Severe Cases (/articles/10.3389/fimmu.2020.610300/full)

Rita Carsetti (https://loop.frontiersin.org/people/25491/overview), Salvatore Zaffina (https://loop.frontiersin.org/people/759028/overview), Eva Piano Mortari (https://loop.frontiersin.org/people/438772/overview), Sara Terreri, Francesco Corrente (https://loop.frontiersin.org/people/1097911/overview), Claudia Capponi (https://loop.frontiersin.org/people/758621/overview), Patrizia Palomba, Mattia Mirabella, Simona Cascioli, Paolo Palange (https://loop.frontiersin.org/people/680497/overview), Ilaria Cuccaro, Cinzia Milito (https://loop.frontiersin.org/people/147436/overview), Alimuddin Zumla (https://loop.frontiersin.org/people/127668/overview), Markus Maeurer (https://loop.frontiersin.org/people/579217/overview), Vincenzo Camisa, Maria Rosaria Vinci, Annapaola Santoro, Eleonora Cimini (https://loop.frontiersin.org/people/83294/overview), Luisa Marchioni, Emanuele Nicastri (https://loop.frontiersin.org/people/1034743/overview), Fabrizio Palmieri, Chiara Agrati (https://loop.frontiersin.org/people/45566/overview), Giuseppe Ippolito (https://loop.frontiersin.org/people/15311/overview), Ottavia Porzio, **TERE** Of CAP/IFINS<sup>T/R</sup> Ioop.frontiersin.org/people/715311/overview), Andrea Onetti Muda, Massimiliano Raponi, Concetta Quintarelli (https://loop.frontiersin.org/people/537959/overview), Isabella Quinti (https://loop.frontiersin.org/people/122625/overview) and Franco Locatelli (https://loop.frontiersin.org/people/78162/overview)

Abstract

#### Genomic Effects of the Vitamin D Receptor: Potentially the Link between Vitamin D, Immune Cells, and Multiple Sclerosis (/articles/10.3389/fimmu.2018.00477/full)

Introduction Ming Lu (https://loop.frontiersin.org/people/245873/overview), Bruce V. Taylor (https://loop.frontiersin.org/people/422267/overview) and Heinrich Körner (https://loop.frontiersin.org/people/77529/overview)

#### The Role of Mucosal Immune

#### Reverse Epstein-Barr Virus in Pathogenesis and Racial Distribution of IgA Nephropathy (/articles/10.3389/fimmu.2020.00267/full)

Katerina Zachova (https://loop.frontiersin.org/people/870958/overview), Petr Kosztyu (https://loop.frontiersin.org/people/871033/overview), Josef Zadrazil, Karel Matousovic (https://loop.frontiersin.org/people/871575/overview), Karel Dyondrak (https://loop.frontiersin.org/people/678557/overview), Petr Hubacek (https://loop.frontiersin.org/people/612319/overview), Bruce A. Julian, Zina Moldoveanu (https://loop.frontiersin.org/people/85151/overview), Zdenek Novak, Klara Kostovcikova (https://loop.frontiersin.org/people/465151/overview), Milan Raska (https://loop.frontiersin.org/people/840358/overview) and Jiri Mestecky (https://loop.frontiersin.org/people/33925/overview)





(https://spotlight.frontiersin.org/submit?utm\_source=fweb&utm\_medium=fjour&utm\_campaign=rtlg\_2020\_gen)

Suggest a Research Topic > (https://spotlight.frontiersin.org/submit?utm\_source=fweb&utm\_medium=fjour&utm\_campaign=rtlg\_2020\_gen)

(https://www.www.automater.com/a

#### 27.8.2021

#### Frontiers | Mucosal Immunity in COVID-19: A Neglected but Critical Aspect of SARS-CoV-2 Infection | Immunology

bout Frontiers (https://www.frontiersin.org/about)	Frontiers' social media	Submit (https://www.frontiersin.org/submissioninfo)	Terms & Conditions
stitutional Membersក្រទាN (HTTPS://WWW.FRONTIERSIN	ORG/PEOP14Fillbornbog.REGUETER.HHJ7209:5/YYY0Y/FBANK	မြားများသူက က က က က က က က က က က က က က က က က က က	T/ABOUT-FRONTERSWWWARDARDALSHTTPS://WWWERGADTERSPNORG/JOURNALS)
(http://www.frontersing.abgut/Institutional_Membersh	nip) media-and-rss)	(http://connect.frontiersin.org/subscriptions/subscribe)	Privacy Policy (https://www.frontiersin.org/legal/privacy-policy)
Books (https://www.frontiersin.org/books/all_books)	Contact (https://www.frontiersin.org/about/co	contact) Help Center (https://frontiers.zendesk.com/hc/en-us)	
News (https://blog.frontiersin.org)	Careers (https://www.frontiersin.org/Careers)		

© 2007 - 2021 Frontiers Media S.A. All Rights Reserved

TABLE OF CONTENTS	
Abstract	
Introduction	
The Role of Mucosal Immune Responses	
Discussion	
Data Availability Statement	
Author Contributions	
Conflict of Interest	
References	